

BINARY, VARBINARY, BINARY VARYING

IBExpert support since version 2018.12.15.

Source: https://github.com/FirebirdSQL/firebird/blob/master/doc/sql.extensions/README.data_types

Function

Alias for [CHAR](#), [VARCHAR](#), VARYING CHAR with CHARACTER SET OCTETS.

Author Dmitry Sibiryakov

Syntax rules

```
BINARY[ (length) ]  
VARBINARY(length)  
BINARY VARYING(length)
```

Example(s)

```
1. DECLARE VARIABLE VAR1 VARBINARY(10);  
2. CREATE TABLE TABLE1 (FIELD1 BINARY(16),  
                           FIELD2 VARBINARY(100),  
                           FIELD3 BINARY VARYING(1000));
```

Note(s)

- If length is omitted for type BINARY, it is considered to be 1.
- Can be distinguished from text types by value 1 in RDB\$FIELD_SUB_TYPE.
- Character set is set to OCTETS for backward compatibility.
- In API are similar to corresponding text types, getSubType() returns 0.

From:

<http://ibexpert.com/docu/> - **IBExpert**

Permanent link:

<http://ibexpert.com/docu/doku.php?id=01-documentation:01-13-miscellaneous:glossary:varbinary>

Last update: **2023/08/21 20:28**

