

TableDDL.ibeblock

```

execute ibeblock (
  Frm variant,
  Op variant)
as
begin
  FldType = ibec_LoadFromFile('E:\IBEBlocks\FldTypeHTML.ibeblock');

  TableID = ibec_uf_GetElementAttribute(Frm, 'TableSelect', 'value', 0);
  sDDL = '';
  if (TableID is not null) then
  begin
    select rdb$relation_name from rdb$relations where rdb$relation_id =
:TableID into :sTableName;
    sTableName = ibec_trim(sTableName);
    sDDL = '<B>CREATE TABLE</B> ' || sTableName || '(' || ibec_Chr(13) ||
ibec_chr(10);

    for select rf.rdb$field_name, rf.rdb$field_source,
rf.rdb$field_position,
                f.rdb$field_type, f.rdb$field_length, f.rdb$field_scale,
                f.rdb$field_sub_type, f.rdb$field_precision,
f.rdb$character_length,
                f.rdb$segment_length, rf.rdb$null_flag,
chr.rdb$character_set_name
    from rdb$relation_fields rf, rdb$relations r, rdb$fields f
    left join rdb$character_sets chr on (f.rdb$character_set_id =
chr.rdb$character_set_id)
    where (rf.rdb$relation_name = r.rdb$relation_name) and
          (rf.rdb$field_source = f.rdb$field_name) and
          (r.rdb$relation_id = :TableID)
    order by 2
    into :FieldName, :fDomain, :FieldPos, :fType, :fLen, :fScale,
:fSubType, :fPrec, fCharLen,
:fSegLen, :fNullFlag, :fCharset
    do
    begin
      sType = ibec_trim(fDomain);
      IsDomainBased = FALSE;
      if (ibec_Copy(sType, 1, 4) <> 'RDB$') then
        IsDomainBased = TRUE;
      execute ibeblock FldType(:fType, :fSubType, :fLen, :fScale,
:fSegLen, :fCharLen, :fPrec, 3)
        returning_values :FieldType;
      sType = ibec_IIF(IsDomainBased, sType, FieldType);

      if (fNullFlag = 1) then
        sType = sType || ' <B>NOT NULL</B>';

```

```
        if (((fType = 37) or (fType = 14) or (fType = 261)) and
(IsDomainBased = FALSE) and (fCharset is not NULL)) then
            begin
                sType = sType || ' <B>CHARACTER SET</B> ' ||
ibec_trim(fCharset);
            end
            sType = ibec_IIF(IsDomainBased, sType || ' <I>/* ' || FieldType ||
' */</I> ', sType);
            sDDL = sDDL || ' ' || ibec_trim(FieldName) || ' ' || sType || ','
|| ibec_Chr(13) || ibec_chr(10);
            suspend;
        end
        iLen = ibec_Length(sDDL) - 3;
        sDDL = ibec_Copy(sDDL, 1, iLen);
        sDDL = sDDL || ');';
    end

    OldData = ibec_uf_GetFormData(Frm);
    iPos = ibec_Pos('<P ID="FAKE">', OldData);
    if (iPos > 0) then
        OldData = ibec_Copy(OldData, 1, iPos + 12);

        sDDL = OldData || '<P>The DDL of the selected table is:</P><P></P><PRE>'
|| sDDL || '</DDL>';

        ibec_uf_SetFormData(Frm, sDDL);
        ibec_uf_SetElementAttribute(Frm, 'TableSelect', 'value', TableID, 0);
    end
```

From:
<http://ibexpert.com/docu/> - **IBExpert**

Permanent link:
<http://ibexpert.com/docu/doku.php?id=06-ibexpert-ibeblock-examples:ibeblock-user-forms:tableddl>

Last update: **2023/05/26 18:44**

