

ftp_upload_file

```
execute ibeblock(  
    HostName variant,  
    UserName variant,  
    Pwd variant,  
    RemoteDir variant,  
    LocalFileName variant,  
    RemoteFileName variant,  
    SessionLogFN variant)  
as  
begin  
    ftp = ibec_ftp_OpenSession('');  
    try  
        ibec_ftp_SetProperty(ftp, 'HostName', HostName);  
        ibec_ftp_SetProperty(ftp, 'UserName', UserName);  
        ibec_ftp_SetProperty(ftp, 'Password', Pwd);  
  
        ibec_ftp_SetProperty(ftp, 'PassiveMode', FALSE);  
        --ibec_ftp_SetProperty(ftp, 'TransferMode', 'AUTO');  
        --ibec_ftp_SetProperty(ftp, 'TransferMode', 'ASCII');  
        --ibec_ftp_SetProperty(ftp, 'TransferMode', 'BINARY');  
  
        Res = ibec_ftp_Connect(ftp);  
        if (Res) then  
            begin  
                Res = ibec_ftp_ChangeDir(ftp, RemoteDir);  
  
                if (Res) then  
                    Res = ibec_ftp_PutFile(ftp, LocalFileName, RemoteFileName);  
            end  
  
            SessionLog = ibec_ftp_GetProperty(ftp, 'SessionLog');  
            ibec_SaveToFile(SessionLogFN, SessionLog, __stf0verwrite);  
  
        finally  
            ibec_ftp_CloseSession(ftp);  
        end;  
    end;  
end;
```

From:
<https://www.ibexpert.com/docu/> - IBExpert

Permanent link:
https://www.ibexpert.com/docu/doku.php?id=06-ibexpert-ibeblock-examples:ibec_ftp:ftp_upload_file

Last update: **2023/05/27 08:07**

