

Http Example 2

```
execute ibeblock
as
begin
  json =
  '{"filter":{"sgtin":"046700124610051059C43A31A82"},"start_from":0,"count":1}
  ';
  url = 'URL=https://api.mdlp.crpt.ru/api/v1/reestr/sgtin/filter';
  sess = ibec_http_OpenSession(:url);
  header = 'Authorization: token 6006af8e-91e4-4350-
a903-0886908fd771'||ibec_CRLF()||'Content-Type: application/json';
  ibec_http_SetHeader(:sess,:header);
  ibec_http_Post(:sess,:json);
  lHeaders = ibec_http_GetProperty(sess, 'LastSentHeaders');
  ibec_ShowMessage(:lHeaders);
  scode = ibec_http_StatusCode(:sess);
  sdesc = ibec_http_Data(:sess);
  ibec_ShowMessage('&#1054;&#1090;&#1074;&#1077;&#1090;: '||:scode||'
'||ibec_UTF8ToAnsiString(:sdesc));
  ibec_http_CloseSession(:sess);
end
```

From:

<http://ibexpert.com/docu/> - **IBExpert**

Permanent link:

http://ibexpert.com/docu/doku.php?id=06-ibexpert-ibeblock-examples:ibec_http_example2

Last update: **2023/05/22 08:10**

