

Recreating indices 1

The following example illustrates how to recreate database [indices](#):

```
execute ibeblock
returns (info varchar(1000))
as
begin
  i = 0;
  for select i.rdb$index_name, i.rdb$relation_name, i.rdb$unique_flag,
            i.rdb$index_inactive, i.rdb$index_type
  from rdb$indices i
  left join rdb$relation_constraints rc on (i.rdb$index_name =
rc.rdb$index_name)
  where (i.rdb$system_flag is null) and (rc.rdb$index_name is null)
  into :IdxName, :IdxRelName, :IdxUnique, :IdxInactive, :IdxType
  do
  begin
    sFields = '';
    for select rdb$field_name from rdb$index_segments
    where rdb$index_name = :IdxName
    order by rdb$field_position
    into :ifields
    do
    begin
      if (sFields <> '') then
        sFields = sFields || ', ';
      sFields = sFields || ibec_formatident(ibec_trim(ifields));
    end
    DropStmt[i] = 'drop index ' || ibec_formatident(ibec_trim(IdName));
    CreateStmt[i] = 'create ' || ibec_iif(IdUnique = 1, 'unique ', '') ||
ibec_iif(IdType = 1, 'descending ', '') ||
' index ' || ibec_formatident(ibec_trim(IdName)) ||
' on ' || ibec_formatident(ibec_trim(IdxRelName)) || '
(' || sFields || ')';
    i = i + 1;
  end
  i = 0;
  while (i <= ibec_high(DropStmt)) do
  begin
    s = DropStmt[i];
    info = s;
    suspend;
    ibec_progress(info);
    execute statement :s;
    commit;

    s = CreateStmt[i];
    info = s;
```

```
suspend;  
ibec_progress(info);  
execute statement :s;  
commit;  
  
i = i + 1;  
end  
end
```

From:
<http://ibexpert.com/docu/> - **IBExpert**

Permanent link:
<http://ibexpert.com/docu/doku.php?id=06-ibexpert-ibeblock-examples:recreating-indices1>

Last update: **2023/05/26 18:17**

