


System objects RDB\$, MON\$, IBE\$

Firebird/InterBase® and IBExpert generate system database objects, and store their own specific system information about the database objects in system tables. System objects are displayed in the [DB Explorer](#) in red, if the system options have been flagged in the [Register Database](#) dialog (called using the right mouse button [Additional/DB Explorer](#)).



Firebird and InterBase® system objects contain the prefix [RDB\\$](#) and Firebird monitoring tables contain the prefix [MON\\$](#); IBExpert system objects contain the prefix [IBE\\$](#).

Enter filter string

Object	Description
System Domains (213)	
System Tables (45)	
IBE\$LOG_BLOB_FIELDS	
IBE\$LOG_FIELDS	
IBE\$LOG_KEYS	
IBE\$LOG_TABLES	
IBE\$SCRIPTS	
MON\$ATTACHMENTS	
MON\$CALL_STACK	
MON\$DATABASE	
MON\$IO_STATS	
MON\$RECORD_STATS	
MON\$STATEMENTS	
MON\$TRANSACTIONS	
RDB\$BACKUP_HISTORY	
RDB\$CHARACTER_SETS	
RDB\$CHECK_CONSTR...	
RDB\$COLLATIONS	
RDB\$DATABASE	
RDB\$DEPENDENCIES	
RDB\$EXCEPTIONS	
RDB\$FIELDS	

Employee_2_1\System Tables\MON\$ATTACHMENTS

#	Key	FK	Fields	Type	Domain	Description	NN
1			MON\$ATTACHME...	INTEGER	RDB\$AT...		<input type="checkbox"/>
2			MON\$SERVER_PID	INTEGER	RDB\$PID		<input type="checkbox"/>
3			MON\$STATE	SMALLINT	RDB\$ST...		<input type="checkbox"/>
4			MON\$ATTACHME...	VARCHA...	RDB\$FIL...		<input type="checkbox"/>
5			MON\$USER	CHAR(31)	RDB\$US...		<input type="checkbox"/>
6			MON\$ROLE	CHAR(31)	RDB\$US...		<input type="checkbox"/>
7			MON\$REMOTE_P...	VARCHA...	RDB\$RE...		<input type="checkbox"/>
8			MON\$REMOTE_A...	VARCHA...	RDB\$RE...		<input type="checkbox"/>
9			MON\$REMOTE_PID	INTEGER	RDB\$PID		<input type="checkbox"/>

SQL Assistant
Dynamic Help

A newly created database is almost 0,5 MB large. This is due to the system tables that are automatically generated by Firebird/InterBase® when a database is created.

new:

These system tables contain a wealth of information, which IBExpert uses in many of its functionalities. Although you may consult and study the information in these system objects, please do not manipulate any data contained in them, as it will almost certainly result in a [corrupt database!](#)

[back to top of page](#)

RDB\$ system objects

These are the Firebird and InterBase® objects. All [field](#) names in these [tables](#) are also prefixed RDB\$ for identification. They include the following:

System tables relating to the database

- **RDB\$DATABASE:** as with all system tables there is [column](#) included for a description, to aid [database](#) documentation. The database description can be specified and is subsequently displayed in the [SQL Assistant](#), on the *Descriptions* page. The database description is also included in the [HTML documentation](#) if the *Include descriptions...* option is enabled. This table also includes the RDB\$CHARACTER_SET_NAME column, displaying the database [default character set](#).
- **RDB\$FILE:** administrates all [secondary files](#) and [shadows](#), if any exist. The RDB\$FILE_SEQUENCE column contains a [SMALLINT](#) number specifying the file sequence. A maximum of 65535 secondary database files and shadow files are permitted.
- **RDB\$PAGES:** administrates the database pages. RDB\$RELATION_ID points to the respective table and RDB\$PAGE_TYPE specifies whether it is a data or [index](#) page.
- **RDB\$DEPENDENCIES:** this displays [dependencies](#) between [tables](#), [views](#) and [constraints](#):

Table : [RDB\$DEPENDENCIES] : Employee_2_5 (localhost:C:\FB3025\examples\empbuild\EMPLOYEE.FDB)

Get record count: RDB\$DEPENDENCIES

Fields Constraints Indices Dependencies Triggers Data Master/Detail View Description DDL Grants Comparison To-do

Record: 8 16 records fetched

RDB\$DEPENDENT_NAME	RDB\$DEPENDENT_ON_NAME	RDB\$FIELD_NAME	RDB\$DEPENDENT_TYPE	RDB\$DEPENDENT_ON_TYPE
RDB\$9	EMPLOYEE	FIRST_NAME	3	0
RDB\$9	EMPLOYEE	LAST_NAME	3	0
PHONE_LIST	DEPARTMENT	DEPT_NO	1	0
PHONE_LIST	EMPLOYEE	DEPT_NO	1	0
PHONE_LIST	DEPARTMENT	<null>	1	0
PHONE_LIST	EMPLOYEE	<null>	1	0
PHONE_LIST	EMPLOYEE	EMP_NO	1	0
PHONE_LIST	EMPLOYEE	LAST_NAME	1	0
CHECK_1	JOB	MAX_SALARY	2	0
CHECK_1	JOB	MIN_SALARY	2	0
CHECK_2	JOB	MAX_SALARY	2	0
CHECK_2	JOB	MIN_SALARY	2	0
CHECK_3	JOB	MAX_SALARY	2	0
CHECK_3	EMPLOYEE	JOB_COUNTRY	2	0
CHECK_3	JOB	JOB_COUNTRY	2	0
CHECK_3	EMPLOYEE	JOB_GRADE	2	0

Grid View Form View Print Data

The dependent element is stored in **RDB\$DEPENDENT_NAME** and the element upon which the other element is dependent is displayed in the **RDB\$DEPENDENT_ON_NAME**. If the dependency is on a column, then this is named in **RDB\$FIELD_NAME**.

[back to top of page](#)

System tables relating to tables and views

- **RDB\$RELATIONS:** all tables and views are stored in this table. View definitions are stored in **RDB\$VIEW_SOURCE**; the binary definition in **RDB\$VIEW_BLR**. System tables are flagged with a 1 in the **RDB\$SYSTEM_FLAG** column, user tables with 0. If the table is an external file, its name can be found in the **RDB\$EXTERNAL_FILE** column. The table owner is named in the **RDB\$OWNER_NAME** field.
- **RDB\$RELATION_FIELDS:** stores the column definitions of the individual tables. The sequence in which Firebird/InterBase® displays individual fields following a **SELECT *** query, is determined by the value in **RDB\$FIELD_POSITION** column, the value 0 appearing first. Each table column is based on a **domain**, which is displayed in **RDB\$FIELD_SOURCE**. If a field has been specified as **NOT NULL**, the value 1 is displayed in the **RDB\$NULL_FLAG** column. An anomalous collation order can be viewed in the **RDB\$COLLATION_ID** column. Two new columns were added to this system table in Firebird 3.0 to support identity columns: **RDB\$GENERATOR_NAME** and **RDB\$IDENTITY_TYPE**. Please refer to **IDENTITY data type** for details.
- **RDB\$RELATION_CONSTRAINTS:** **constraints**, in the broadest sense, can be found in this table. The name is stored in **RDB\$CONSTRAINT_NAME**, the respective table in **RDB\$RELATION_NAME**. **RDB\$CONSTRAINT_TYPE** contains one of the following values:
 - PRIMARY for **primary keys**
 - UNIQUE for **secondary keys**
 - FOREIGN KEY for **foreign keys**

- PCHECK for user-defined validity checks and
- NOT NULL for forcing data input.

RDB\$CONSTRAINT_NAME	RDB\$CONSTRAINT_TYPE	RDB\$RELATION_NAME	RDB\$DEFERRABLE	RDB\$INITIALLY_DEFERRED	RDB\$INDEX_NAME
INTEG_7	NOT NULL	JOB	NO	NO	<null>
INTEG_8	NOT NULL	JOB	NO	NO	<null>
INTEG_9	NOT NULL	JOB	NO	NO	<null>
INTEG_10	PRIMARY KEY	JOB	NO	NO	RDB\$PRIMARY2
INTEG_11	FOREIGN KEY	JOB	NO	NO	RDB\$FOREIGN3
INTEG_12	CHECK	JOB	NO	NO	<null>
INTEG_13	NOT NULL	DEPARTMENT	NO	NO	<null>
INTEG_14	NOT NULL	DEPARTMENT	NO	NO	<null>
INTEG_15	UNIQUE	DEPARTMENT	NO	NO	RDB\$4
INTEG_16	PRIMARY KEY	DEPARTMENT	NO	NO	RDB\$PRIMARY5
INTEG_17	FOREIGN KEY	DEPARTMENT	NO	NO	RDB\$FOREIGN6
INTEG_18	NOT NULL	EMPLOYEE	NO	NO	<null>
INTEG_19	NOT NULL	EMPLOYEE	NO	NO	<null>
INTEG_20	NOT NULL	EMPLOYEE	NO	NO	<null>
INTEG_21	NOT NULL	EMPLOYEE	NO	NO	<null>

* **RDB\$INDICES:** here you can view the [index](#) names (RDB\$INDEX_NAME) and the [table](#) names (RDB\$RELATION_NAME). Those indices belonging to a specific table are numbered sequentially, beginning with the number 1 (displayed in RDB\$INDEX_ID). [Unique indices](#) are displayed in RDB\$UNIQUE_FLAG with the flag 1, RDB\$INDEX_TYPE shows whether the index is [ascending](#) (0) or [descending](#) (1) and RDB\$INDEX_INACTIVE displays inactive indices with the value 1. The index selectivity is stored in the RDB\$STATISTICS column.

- **RDB\$INDEX_SEGMENTS:** this stores the columns that the index is composed of. Their order can be viewed in the RDB\$FIELD_POSITION.
- **RDB\$REF_CONSTRAINTS:** this stores how [key violations](#) are to be handled. The foreign key name can be found in RDB\$CONSTRAINT_NAME, the corresponding primary key or secondary keys can be viewed in RDB\$CONST_NAME_UQ. Specification of the treatment of key violations can be separately defined for [UPDATE](#) and [DELETE](#) actions and can be viewed in RDB\$UPDATE_RULE and RDB\$DELETE_RULE respectively. Actions include the [default value](#), [RESTRICT](#), [NO ACTION](#), [CASCADE](#), [SET NULL](#) and [SET DEFAULT](#).
- **RDB\$CHECK_CONSTRAINTS:** [validity checks](#) are stored here. Validity checks are made using [triggers](#), the trigger name can be seen in the column, RDB\$TRIGGER_NAME, and the name of the validity check in RDB\$CONSTRAINT_NAME. If the name of a column is displayed in the RDB\$TRIGGER_NAME column, then this indicates a [NOT NULL](#) constraint, which are also stored in this table.
- **RDB\$VIEW_RELATIONS:** this system table stores all tables belonging to a [view](#). The individual tables are numbered sequentially in the RDB\$VIEW_CONTEXT column. If a table alias is used, this is displayed in the RDB\$CONTEXT_NAME field.

[back to top of page](#)

System tables relating to domains

- **RDB\$FIELDS:** this stores the definition of all [domains](#), including [data type](#), size, [character set](#) and [collation](#). If a field definition includes a *computed by* statement, this can be viewed in `RDB$COMPUTED_SOURCE`.
- **RDB\$TYPES:** this stores data types and object types (`VIEW`, `TRIGGER`, `PROCEDURE`), character sets and some other information.
- **RDB\$FIELD_DIMENSIONS:** this stores [array](#) definitions.
- **RDB\$CHARACTER_SETS:** here you can find a full list of [character sets](#) available in your Firebird/InterBase® version.
- **RDB\$COLLATIONS:** this table stores a list of all [collations](#) available for the character set IDs, found in `RDB$CHARACTER_SETS`.

System tables relating to procedures and triggers

- **RDB\$PROCEDURES:** all [stored procedures](#) in a database are stored in this system table. The procedure name is stored in `RDB$PROCEDURE_NAME` and it is allocated a sequential numbered identifier in `RDB$PROCEDURE_ID`. The number of [parameters](#) can be viewed in the `RDB$PROCEDURE_INPUTS` column the values output by the procedure in `RDB$PROCEDURE_OUTPUTS`. The source code is stored in `RDB$PROCEDURE_SOURCE` and its binary translation in `RDB$PROCEDURE_BLR`. Only the procedure owner (displayed in `RDB$OWNER_NAME`) and the SYSDBA may assign rights to a procedure. The `RDB$PACKAGE_NAME` field was added in Firebird 3.0 to store [package](#) metadata.
- **RDB\$PROCEDURE_PARAMETERS:** this stores information about the individual parameters, and in which procedure they are used. The individual parameters are each assigned a sequential number beginning with 0. If the field, `RDB$PARAMETER_TYPE` displays the value 0, then it is an input parameter, an output parameter displays the value 1. This also references the `RDB$FIELDS` source.
- **RDB\$TRIGGERS:** this table stores a list of all [triggers](#) in the database. Along with the trigger name you can find the name of the corresponding table (`RDB$RELATION_NAME`) to which the trigger applies, the [trigger type](#) (`RDB$TRIGGER_TYPE`) and, if several triggers for a single table have the same `RDB$TRIGGER_TYPE` value, the field, `RDB$TRIGGER_SEQUENCE` decides in which order the triggers are executed, starting with the lowest value. If duplicate values are found in this column the triggers with the same value are executed in alphabetical order. The trigger source code can be found in `RDB$TRIGGER_SOURCE` with its binary translation in `RDB$TRIGGER_BLR`. [Deactivated triggers](#) are flagged with a 1 in the `RDB$TRIGGER_INACTIVE` column.
- **RDB\$PACKAGES:** A new system table, `RDB$PACKAGES`, has been added in Firebird 3.0 to store [package](#) metadata.

[back to top of page](#)

System tables relating to user rights

- **RDB\$ROLES:** this includes the [role](#) names defined for the database and the role owners, the users who defined them.
- **RDB\$PRIVILEGES:** this [table](#) stores details of which rights which users have received and who [granted](#) them. The `RDB$PRIVILEGE` field displays the type of right granted: S (select), I (insert), U (update), D (delete), R (reference), X (execute). If the `RDB$GRANT_OPTION` field is flagged with 1, then the grantee may [grant this right](#) to others. `RDB$RELATION_NAME` shows for

which table or [procedure](#) the permissions have been granted, and if the permission is restricted to a specific [column](#), this is displayed in the `RDB$FIELD_NAME` field.

Other system tables

- **RDB\$EXCEPTIONS:** contains a full list of all [exceptions](#).
- **RDB\$FILTERS:** this table contains all [blob filters](#). The routine is specified in `RDB$ENTRYPOINT`, the DLL file name in `RDB$MODULE_NAME`.
- **RDB\$FUNCTIONS:** this includes all UDFs incorporated in the database. The routine is specified in `RDB$ENTRYPOINT` and the DLL file name in `RDB$MODULE_NAME`. `RDB$RETURN_ARGUMENT` displays which of the parameters is the return value.
- **RDB\$FUNCTION_ARGUMENTS:** this table lists the individual UDF parameters. The parameters are numbered sequentially in `RDB$ARGUMENT_POSITION`, parameter types are displayed in `RDB$FIELD_TYPE`, this column referencing the table, `RDB$TYPES`. `RDB$MECHANISM` display either the value 0 when the parameter is passed *by value*, and 1 when the parameter is passed *by reference*. Particularly of interest with strings is the length recorded in `RDB$FIELD_LENGTH`. `RDB$CHARACTER_SET_ID` indicates the character set.

* **RDB\$GENERATORS:** this table stores the [generator](#) name and a unique number. The generator value is not stored in this system table.

- **RDB\$TRANSACTIONS:** this system table displays transactions running across multiple databases. 0 indicates that the transaction is [in limbo](#), 1 that it has been [committed](#), 2 that it has been [rolled back](#).

See also:

- [The mystery of RDB\\$DB_KEY](#)
- [Firebird Internals](#)
- [Firebird Database Cache Buffer: The Firebird cache](#)

[back to top of page](#)

MON\$ system tables

Firebird monitoring tables were introduced in Firebird 2.1. and enable run-time database snapshot monitoring (of [transactions](#), [tables](#), etc.) via SQL over some new virtualized [system tables](#).

By querying these system tables you get a snapshot of the current activities in the database. For example, `MON$DATABASE` provides a lot of the [database header](#) information that could not be obtained previously via SQL: such details as the on-disk structure ([ODS](#)) version, [SQL dialect](#), [sweep interval](#), [OIT](#) and [OAT](#) and so on.

You can view other activities, such as who is connected to your database, which transactions and statements are running and so on. You even can cancel a running query by executing a `DELETE` statement on `MON$STATEMENTS`.

When querying the monitor tables it's important to remember that it's just a snapshot.

The Firebird **MON\$** system tables include the following in Firebird version 2.1:

- **MON\$DATABASE**: connected database.
- **MON\$ATTACHMENTS**: connected attachments.
- **MON\$TRANSACTIONS**: started transactions.
- **STATEMENTS**: prepared statements.
- **MON\$CALL_STACK**: call stack of active PSQL requests.
- **MON\$IO_STATS**: I/O statistics.
- **MON\$RECORD_STATS**: record-level statistics.

Further details can be found in the [Firebird 2.1 Release Notes](#) chapter, [Administrative features](#), and in the [Firebird 2.5 Release Notes](#).

The following improvements have been incorporated in Firebird 2.5:

- **MON\$CONTEXT_VARIABLES**: delivers data about context variables, (includes an overview of all user-defined context variables set by **RDB\$SET_CONTEXT**).
- **MON\$MEMORY_USAGE**: includes current memory usage at database, session, transaction or statement level) in ODS 11.2 and higher databases. Also, in these databases, it becomes possible to terminate a client connection from another connection through the **MON\$** structures.
- The original design in Firebird 2.1 allowed non-privileged database users to see monitoring information pertaining only to their **CURRENT_CONNECTION**. In Firebird 2.5 they can request information for any attachment that was authenticated using the same user name.
- New **MON\$ metadata** for ODS 11.2 databases.
- Terminating a client: the **MON\$** structures are, by design, read-only. Thus, user **DML** operations on them are prohibited. However, a mechanism is built in to allow deleting (only) of records in the **MON\$STATEMENTS** and **MON\$ATTACHMENTS** tables. The effect of this mechanism is to make it possible, respectively, to cancel running statements and, for ODS 11.2 databases, to terminate client sessions.

For example: to cancel all current activity for a specified connection:

DELETE FROM MON\$STATEMENTS

WHERE MON\$ATTACHMENT_ID = 32

To disconnect all clients except the “ME” connection:

DELETE FROM MON\$ATTACHMENTS

WHERE MON\$ATTACHMENT_ID <> CURRENT_CONNECTION


See also:

- [Firebird Internals](#)
- [Firebird Database Cache Buffer: The Firebird cache](#)

[back to top of page](#)

IBE\$ system objects


IBExpert creates its own system objects to support features such as [logging](#) and [version history](#):



These objects should not be manipulated in any way, otherwise certain IBEExpert functionalities will be detrimentally affected.

IBE\$VERSION_HISTORY system table

A special browser is implemented for the IBE\$VERSION_HISTORY table. When IBE\$VERSION_HISTORY is opened in the [Table Editor](#), a new *Version Browser* page is automatically opened:



Select the database object and the versions you wish to compare. Text and code is highlighted according to whether it has been added, modified or deleted.

If the IBE\$VERSION_HISTORY table already exists in your database you should add the following changes manually if you need to log the client address and the RDB\$GET_CONTEXT function is available:

New column in the IBE\$VERSION_HISTORY table:

```
ALTER TABLE IBE$VERSION_HISTORY ADD IBE$VH_CLIENT_ADDRESS VARCHAR(32)
CHARACTER
SET NONE;
```

Additional line of code in IBE\$VERSION_HISTORY_BI trigger:

```
NEW.IBE$VH_CLIENT_ADDRESS = RDB$GET_CONTEXT('SYSTEM', 'CLIENT_ADDRESS');
```

See also:

[Version History](#)

IBE\$DBINSIDE\$ERRORS system table

This table is automatically created by IBExpert, when you use the [Extract data/metadata](#) on a corrupt database in [Database Inside](#).

From:
<http://ibexpert.com/docu/> - IBExpert

Permanent link:
http://ibexpert.com/docu/doku.php?id=02-ibexpert:02-03-database-objects:system-objects-rdb_-mon_-ibe

Last update: **2023/08/21 04:51**

