

# F\_DOUBLEABS, F\_ABS

compatibility to FreeUDFLib, FreeUDFLibC, FreeUDFLib AvERP

compatibility to GrUDF

compatibility to ib\_udf (ABS)

input/output-compatibility to rFunc (ABS)

Entrypoint doubleabs compatible with UTF-8

---

## Inputs/Outputs

Input	DOUBLE	floatingpoint
Output	DOUBLE	absolute (positiv) value of a floatingpoint

---

## Syntax

TestSQL

```
SELECT 15.678 AS ISCORRECT, F_DOUBLEABS(15.678) FROM RDB$DATABASE;  
SELECT 15.678 AS ISCORRECT, F_DOUBLEABS(-15.678) FROM RDB$DATABASE;  
SELECT 15.678 AS ISCORRECT, F_ABS(15.678) FROM RDB$DATABASE;  
SELECT 15.678 AS ISCORRECT, F_ABS(-15.678) FROM RDB$DATABASE;  
SELECT NULL AS ISCORRECT, F_ABS(NULL) FROM RDB$DATABASE;
```

From:  
<http://ibexpert.com/docu/> - IBExpert

Permanent link:  
[http://ibexpert.com/docu/doku.php?id=04-ibexpert-udf-functions:04-02-numeric-functions:04-02-03-calculate-functions:f\\_doubleabs-f\\_abs](http://ibexpert.com/docu/doku.php?id=04-ibexpert-udf-functions:04-02-numeric-functions:04-02-03-calculate-functions:f_doubleabs-f_abs)

Last update: 2023/04/11 21:12

