

# F\_ADDHOUR

## function from adhoc

Entrypoint addhour **compatible with UTF-8**

## Inputs/Outputs

Input	TIMESTAMP	date optionally time
	INTEGER	hours to add
Output	TIMESTAMP	adds hours to timestamp

## Syntax

If parameter 2 is negative, hours where subtract.

TestSQL

```
SELECT '01.10.2005 18:03:01' AS ISCORRECT, F_ADDHOUR('01.10.2005  
15:03:01', 3) FROM RDB$DATABASE;
```

```
SELECT '01.10.2005 12:03:01' AS ISCORRECT, F_ADDHOUR('01.10.2005  
15:03:01', -3) FROM RDB$DATABASE;
```

```
SELECT NULL AS ISCORRECT, F_ADDHOUR(NULL, NULL) FROM RDB$DATABASE;
```

From:  
<http://ibexpert.com/docu/> - IBExpert

Permanent link:  
[http://ibexpert.com/docu/doku.php?id=04-ibexpert-udf-functions:04-03-date\\_time-functions:04-03-01-calculate-functions:f\\_addhour](http://ibexpert.com/docu/doku.php?id=04-ibexpert-udf-functions:04-03-date_time-functions:04-03-01-calculate-functions:f_addhour)

Last update: 2023/04/11 23:25

