

# F\_EQUALDATE

## compatibility to FreeUDFLib AvERP, GrUDF

Entrypoint equaldate **compatible with UTF-8**

## Inputs/Outputs

Input	TIMESTAMP	date optionally time 1
	TIMESTAMP	date optionally time 2
Output	INTEGER	1 = date is equal, 0 = date is not equal

## Syntax

```
Tested only on date (time could be entered but never used)
TestSQL
SELECT 1 AS ISCORRECT, F_EQUALDATE('20.02.2004 10:00:00', '20.02.2004
11:00:00') FROM RDB$DATABASE;
SELECT 0 AS ISCORRECT, F_EQUALDATE('20.02.2004 10:00:00', '21.02.2004
11:00:00') FROM RDB$DATABASE;
SELECT NULL AS ISCORRECT, F_EQUALDATE(NULL, NULL) FROM RDB$DATABASE;
```

From:  
<http://ibexpert.com/docu/> - IBExpert

Permanent link:  
[http://ibexpert.com/docu/doku.php?id=04-ibexpert-udf-functions:04-03-date\\_time-functions:04-03-04-compare-functions:f\\_equaldate](http://ibexpert.com/docu/doku.php?id=04-ibexpert-udf-functions:04-03-date_time-functions:04-03-04-compare-functions:f_equaldate)

Last update: 2023/04/16 13:04

