

F_UUID1TIMESTAMP

function from adhoc

Entrypoint uuid1timestamp **compatible with UTF-8**

Inputs/Outputs

Input	CSTRING(250)	valid UUID version 1
Output	TIMESTAMP	timestamp of the creating date and time of the UUID version 1

Syntax

Reports the timestamp from the UUID when the UUID was created. If the timestamp isn't real, the function reports 31.12.1899 00:00:00 (Time = 0 - starttime of the internal InterBase/FireBird time) instead of FireBird 2.0, it returns <null> if it is declaired.

TestSQL (to use with TestISO.GDB)

If you take an compressed UUID for input instead of a normal UUID:

```
SELECT UUIDTESTID, F_UUIDVERSION(UUID), ART, NULL AS ISCORRECT,  
F_UUID1TIMESTAMP(UUIDCOMPR) FROM UUIDTEST ORDER BY 1;
```

If you take a normal UUID for input (right):

```
SELECT UUIDTESTID, F_UUIDVERSION(UUID), ART, ZEITSTEMPEL AS ISCORRECT,  
F_UUID1TIMESTAMP(UUID) FROM UUIDTEST ORDER BY 1;  
SELECT NULL AS ISCORRECT, F_UUID1TIMESTAMP(NULL) FROM RDB$DATABASE;
```

From:

<http://ibexpert.com/docu/> - IBExpert

Permanent link:

http://ibexpert.com/docu/doku.php?id=04-ibexpert-udf-functions:04-05-uuid-functions:04-05-03-read:f_uuid1timestamp

Last update: 2023/04/16 19:55

