

F_BLOBLOAD

function from adhoc

Entrypoint blob_load compatible with UTF-8

Inputs/Outputs

Input	CSTRING(8191)	complete path with filename
Output	BLOB	load (binary)File in a BLOB

Syntax

TestSQL

Windows: (please adapt your path and IDs)

```
SELECT F_BLOBLOAD('C:\boot.ini') FROM RDB$DATABASE;  
INSERT INTO BLOBTEST (TEXTBLOB, BINAERBLOB) SELECT 'PNG-picture' ||  
F_CRLF() || 'FreeAdhocUDF.png', F_BLOBLOAD('C:\copy\FreeAdhocUDF.png') FROM  
RDB$DATABASE;  
UPDATE BLOBTEST SET TEXTBLOB = 'PNG-picture' || F_CRLF() || 'firebird-  
logo-400.png', BINAERBLOB = F_BLOBLOAD('c:\copy\firebird-logo-400.png')  
WHERE BLOBTESTID = 14
```

Linux:(please adapt your path and IDs)

```
SELECT F_BLOBLOAD('/etc/passwd') FROM RDB$DATABASE;  
SELECT F_BLOBLOAD('/daten/copy/FreeAdhocUDF.png') FROM RDB$DATABASE;  
INSERT INTO BLOBTEST (TEXTBLOB, BINAERBLOB) SELECT 'PNG-picture' ||  
F_CRLF() || 'FreeAdhocUDF.png', F_BLOBLOAD('/daten/copy/FreeAdhocUDF.png')  
FROM RDB$DATABASE;  
UPDATE BLOBTEST SET TEXTBLOB = 'PNG-picture' || F_CRLF() || 'firebird-  
logo-400.png', BINAERBLOB = F_BLOBLOAD('/daten/copy/firebird-logo-400.png')  
WHERE BLOBTESTID = 14
```

From:

<http://ibexpert.com/docu/> - IBExpert

Permanent link:

http://ibexpert.com/docu/doku.php?id=04-ibexpert-udf-functions:04-10-file-functions:04-10-01-with-blobs:f_blobload

Last update: 2023/04/18 17:19

