

ibec_GetUsers

The `ibec_GetUsers` function retrieves a list of users from the server using the *IBExpert Services Manager*.

Syntax

```
function ibec_GetUsers(ConnectOptions : string; UserNames : variant [;  
FullData : variant]) : variant;
```

The `ibec_GetUsers` returns NULL if no error occurred, otherwise it returns an error message.

Example 1

The `UserNames` parameter: the following example returns a list of users registered on the server:

```
execute ibeblock  
returns (UserName varchar(100),  
         FirstName varchar(100),  
         MiddleName varchar(100),  
         LastName varchar(100))  
  
as  
begin  
    res = ibec_GetUsers('Server=localhost/3065; User=SYSDBA;  
Password=masterkey;  
                        ClientLib=C:\Program  
Files\Firebird\Bin\fbclient.dll',  
                        UserNames, FullData);  
    foreach (UserNames as UserName key UserIdx) do  
        begin  
            s = FullData[UserIdx];  
            ini = ibec_ini_Open('');  
            try  
                ibec_ini_SetStrings(ini, s);  
  
                FirstName = ibec_ini_ReadString(ini, 'UserData', 'FirstName', '');  
                MiddleName = ibec_ini_ReadString(ini, 'UserData', 'MiddleName', '');  
                LastName = ibec_ini_ReadString(ini, 'UserData', 'LastName', '');  
            finally  
                ibec_ini_Close(ini);  
            end;  
            suspend;  
        end  
    end  
end
```

From:
<http://ibexpert.com/docu/> - **IBExpert**

Permanent link:
http://ibexpert.com/docu/doku.php?id=05-ibexpert-ibeblock-functions:05-12-manage-firebird-interbase-users:ibec_getusers

Last update: **2023/07/06 15:11**

